Search: (RU2142101)/PN/XPN

1 / 1 Patent Number: CA2160659 A1 19941124


IMPROVED HEAT TRANSFER APPARATUS AND METHODS FOR SOLID-VAPOR SORPTION SYSTEMS

(EP-697085)

WÄRMEÜBERTRAGUNGSVORRICHTUNG UND VERFAHREN FÜR FESTSTOFF-DAMPF-SORPTIONSANLAGEN

(WO9427098)

In a sorption reaction system comprising one or more first reactors (10) in which a refrigerant is alternately adsorbed and desorbed, and one or more second reactors (20) in which a refrigerant is alternately desorbed and adsorbed, respectively, and having a cooling loop (16, 60, 68, 67, 56, 12, 21) for directing heat transfer fluid to and from said reactors (10, 20), a method of cooling an adsorbing reactor comprises directing liquid phase heat transfer fluid having a phase change from liquid to gas at a temperature at or below the temperature of adsorption to an adsorbing reactor in heat exchange exposure to the adsorbent utilizing vaporized heat transfer fluid for driving the liquid heat transfer fluid in the cooling loop. The refrigerant may be used as the heat transfer fluid. The invention includes apparatus for carrying out the method.



@Questel

Inventor(s): KIROL LANCE D

ROCKENFELLER UWE

Patent Assignee: ROCKY RES CO

ROCKY RESEARCH ROKI RESECH

Orig. Patent Assignee: ROCKY RESEARCH; 1598 Foothill Drive; Boulder City, NV

89005 (US)

FamPat family	Publication Numbe	r Kind Publication date Links
	CA2160659	A1 19941124 ja
	STG: AP:	Application laid open 1994CA-2160659 19940420
	WO9427098	A1 19941124
	STG:	Publ. Of int. Appl. With int. Search rep
	AP:	1994WO-US04343 19940420
	AU6709094	A 19941212
	STG:	Open to public inspection
	AP:	1994AU-0067090 19940420
	HU9503185	D0 19951228
	STG: AP:	Filing application 1995HU-0003185 19940420
	BR9406573	A 19960130
	STG: AP:	Patent Application 1994BR-0006573 19940420
	EP0697085	A1 19960221
	STG:	Public. Of applic. With search report
	AP:	1994EP-0914851 19940420
	CN1123053	A 19960522

STG:	Unexamined application		
AP:	1994CN-0192065 19940420		
HU73008	A2 19960628	-	<u> </u>
STG:	Examined patent application		
CZ9502850	A3 19960814		
STG: AP:	Application for patent 1995CZ-0002850 19940420		
JP8510045	T 19961022	<u> </u>	2
STG:	Unexam. Pat. Appl. On foreign appl.		
AP:	1994JP-0525445 19940420		
SG47748	A1 19980417	<u> </u>	<u>a</u>
STG: AP:	Patent Application 1996SG-0004165 19940420		
EP0697085	B1 19990901	<u> 1</u> 38) 88 Jan 18
STG: AT184098	Patent T 19990915	A138	
STG: AP:	EP Patent valid in AT 1994AT-0914851 19940420		
DE69420404	D1 19991007	<u> 1</u> 38	a 3
STG:	Granted EP number in bulletin		
AP:	1994DE-6020404 19940420		
RU2142101	C1 19991127	<u>-</u>	<u>-</u>
STG: AP:	Patent for invention 1995RU-0120603 19940420		
ES2137365	T3 19991216		
STG:	Translation of granted European patent		
AP:	(former B3) 1994ES-0914851 19940420		
DE69420404	T2 20000210		
STG:	Trans. Of EP patent		
HU219393	B 20010328 Patent with search	<u> </u>	a 8
STG:	report		
CN1099563	C 20030122	<u> 1</u> 38	அ: இ அ: இ இ இ இ இ
STG: JP3391795	Granted patent B2 20030331		<u> </u>
STG:	Grant. Pat. With A from 2500000 on	<u>:1</u> 333	and 99.000
CA2160659	C 20060711		ു ജങ ു എം എങ
STG:	Patent		

Priority Details: 1993US-0059548 19930511

1994WO-US04343 19940420

Designated States: (WO9427098)

ÀT AU BB BĞ BR BY CA CH CN CZ DE DK ES FI GB GE HU JP KG KP KR KZ LK LU LV MD MG MN MW NL NO NZ PL PT

RO RU SD SE SI SK TJ TT UA UZ VN

European patent : AT BE CH DE DK ES FR GB GR IE IT LU

MC NL PT SE

OAPI patent : BF BJ CF CG CI CM GA GN ML MR NE SN TD

TG

@Questel